

# EVOIVE

ceiling fans

## PRODUCT SPECIFICATION SHEET



**Model** 2410

**Color** Matte Black

**Location** Rated for Indoor & Outdoor Damp<sup>1</sup>

**Fan diameter** 132 cm / 52 inches

**Blades** (3) ABS plastic

**Coverage area** Space +37m<sup>2</sup>

**Input Voltage** 100-120v and 220v-240 VAC,  
1 phase, 50-60Hz

**Motor** DC. Reversible. 6 speeds

**Control** Handheld Remote control  
Optional wall control

**Reverse flow** Winter & Summer mode

**Light kit** No light included

**Hanging system** Universal 12.5cm (5") and 25cm (10")

**Airflow (Max)** 6,800 CFM. 192.55 m<sup>3</sup>/min

**Speed (Max)** 207 RPM

**Sound Level<sup>2</sup>** <40 dba at max speed

**Power (W)** 38W

**Warranty:** 10-Years motor.

<sup>1</sup>Outdoor Damp: Areas that are not directly exposed to sun, rain, snow, water, or moisture

<sup>2</sup>Sound level: Actual results of sound measurements in the field may vary due to sound reflective surfaces and environmental conditions



# EVOIVE

ceiling fans

## ESPECIFICACIONES DEL PRODUCTO



**Modelo** 2410

**Color** Mate negro

**Ubicación** Interior & exterior<sup>1</sup>. Patio cubierto

**Díámetro** 132 cm / 52 pulgadas

**Aspas** (3) ABS plástico

**Área impacto** Área / espacio +37m<sup>2</sup>

**Voltaje** 100-120v y 220v-240 VAC,  
1 phase, 50-60Hz

**Motor** DC. Reversible. 6 velocidades

**Control** Mando a distancia  
Control de pared opcional

**Dirección** Modo verano e invierno

**Luz** Luz no incluida

**Sistema para colgar** Universal 12.5cm (5") and 25cm (10")

**Flujo Aire (Max)** 6,800 CFM. 192.55 m<sup>3</sup>/min

**Velocidad (Max)** 207 RPM

**Nivel sonoro<sup>2</sup>:** <40 dba max velocidad

**Potencia (W)** 38W

**Garantía:** 10 años motor.

<sup>1</sup> Exterior: Zonas que no están expuestas directamente al sol, la lluvia, la nieve, el agua o la humedad.

<sup>2</sup> Nivel sonoro: Los resultados reales de las mediciones de sonido sobre el terreno pueden variar debido a las superficies reflectantes del sonido y a las condiciones ambientales.




# EVOIVE

ceiling fans

---


## Dimensions / Dimensiones



# EVOLVE

ceiling fans

## TECHNICAL DATA



<b>Diameter / Diametro</b>	132cm / 52 inches
<b>Motor</b>	Reversible. DC motor. 6-speed / velocidades.
<b>Location / ubicación</b>	Indoor-Outdoor covered patio. Interior-Exterior patio cubierto. IPX2
<b>Material Blades / Aspas</b>	ABS. Plastic / Plástico
<b>Control</b>	Remote control / Mando a distancia Wall control / control de pared
<b>Universal downrod Barra extensible</b>	40   60   90   120 cm 15   23   35   47 inches
<b>Warranty / Garantía (years/años)</b>	10-Motor. 2-LED Light/Luz.
<b>Input Voltage /</b>	100-240 VAC, 50-60Hz

Speed	Power (W)	Amps	RPM	Airflow (CFM)	Airflow (m <sup>3</sup> /min)	Operating Voltage	Sound Level*
#1	7.9	0.069	126	1,360	38.08	100-240 VAC 1 phase 50-60Hz	<40 dba at max speed
#2	11	0.092	144	2,040	57.12		
#3	15.8	0.126	169	3,400	95.20		
#4	21.5	0.165	187	5,100	142.80		
#5	29.9	0.221	210	5,780	161.84		
#6	38.7	0.279	226	6,800	190.40		

\*Actual results of sound measurements in the field may vary due to sound reflective surfaces and environmental conditions

Evolve ceiling fan tested 132cm / 52". Fan tested input voltage at 100 – 240v ~ 50/60Hz. Average results provided.  
Tested with: Universal 25cm downrod mount. DC Motor size 153\*12. Receiver / remote control.  
Product Gross Weight: 7.4 kgs (16.3lbs). Product Net Weight: 6.4 kgs (14.1lbs).

